

**GLANBIA NUTRITIONALS**

QUALITY CONTROL LABORATORY
484 ALCOA CIRCLE
CORONA, CALIFORNIA 92878

PHONE: (951) 736-9230

FAX: (951) 736-9234

CERTIFICATE OF ANALYSIS

COA NUMBER:	LP-052323-JL
COA DATE:	1-Jun-22
PRODUCT STATUS:	RELEASED
PAGE:	1 OF 1

CERTIFICATE OF ANALYSIS

PRODUCTION DATE	DESCRIPTION	LOT NUMBER	EXPIRATION DATE
23-May-22	JUST LEMON WATER 12 FL OZ	052323JL	05/23/23
FORMULA NUMBER		BAR CODE	
JUST LEMON WATER JL 071219		8 60465 00150 5	

ANALYTICAL RESULTS

MICROBIOLOGICAL ANALYSIS						
TEST DESCRIPTION	RESULTS		LEMON PERFECT SPECIFICATIONS		METHOD OF REFERENCE	TEST DATE
AEROBIC COUNT	<1	cfu / mL	<10	cfu / mL	FDA - BAM, 7TH ED	24-May-22
YEAST & MOLD COUNT	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM RYM	24-May-22
COLIFORM	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM	24-May-22
E.COLI	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM	24-May-22

PHYSICAL / CHEMICAL ANALYSIS				
TEST DESCRIPTION	RESULTS	LEMON PERFECT SPECIFICATIONS	METHOD OF REFERENCE	TEST DATE
pH	2.72	2.60-3.00	AOAC 981.12 / CERAMIC PROBE	23-May-22
BRIX	2.5	2.3-2.7	AOAC 380.00 / REFRACTIVE INDEX	23-May-22
TITRATABLE ACIDITY	N/A	N/A	AOAC 942.15 / CERAMIC PROBE	N/A
QUARTERLY GLUTEN	NEGATIVE	NEGATIVE	3M GLUTEN PROTEIN RAPID KIT	5-Apr-22

COMPLETED BY:

DATE: 01 Jun 2022

VERIFIED BY:

DATE 01 Jun 2022



GLANBIA NUTRITIONALS
 QUALITY CONTROL LABORATORY
 484 ALCOA CIRCLE
 CORONA, CALIFORNIA 92878

PHONE: (951) 736-9230

FAX: (951) 736-9234

CERTIFICATE OF ANALYSIS

COA NUMBER: LP-052923-PR

COA DATE: 6-Jun-22

PRODUCT STATUS: RELEASED

PAGE: 1 OF 1

CERTIFICATE OF ANALYSIS

PRODUCTION DATE	DESCRIPTION	LOT NUMBER	EXPIRATION DATE
29-May-22	PEACH RASPBERRY LEMON WATER 12 FL OZ	052923PR	05/29/23
FORMULA NUMBER		BAR CODE	
PEACH RASPBERRY LEMON WATER PR 071519		8 50003 74805 4	

ANALYTICAL RESULTS

MICROBIOLOGICAL ANALYSIS						
TEST DESCRIPTION	RESULTS		LEMON PERFECT SPECIFICATIONS		METHOD OF REFERENCE	TEST DATE
AEROBIC COUNT	<1	cfu / mL	<10	cfu / mL	FDA - BAM, 7TH ED	30-May-22
YEAST & MOLD COUNT	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM RYM	30-May-22
COLIFORM	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM	30-May-22
E.COLI	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM	30-May-22

PHYSICAL / CHEMICAL ANALYSIS				
TEST DESCRIPTION	RESULTS	LEMON PERFECT SPECIFICATIONS	METHOD OF REFERENCE	TEST DATE
pH	2.71	2.60-3.00	AOAC 981.12 / CERAMIC PROBE	29-May-22
BRIX	2.5	2.4-2.8	AOAC 380.00 / REFRACTIVE INDEX	29-May-22
TITRATABLE ACIDITY	N/A	N/A	AOAC 942.15 / CERAMIC PROBE	N/A
GLUTEN	NEGATIVE	NEGATIVE	3M GLUTEN PROTEIN RAPID KIT	18-Apr-22

COMPLETED BY:

Shirley Feng

DATE: 06 Jun 2022

VERIFIED BY:

Jack Sun

DATE: 06 Jun 2022



GLANBIA NUTRITIONALS
 QUALITY CONTROL LABORATORY
 484 ALCOA CIRCLE
 CORONA, CALIFORNIA 92878

PHONE: (951) 736-9230

FAX: (951) 736-9234

CERTIFICATE OF ANALYSIS

COA NUMBER:	LP-060123-PC
COA DATE:	11-Jun-22
PRODUCT STATUS:	RELEASED
PAGE:	1 OF 1

CERTIFICATE OF ANALYSIS

PRODUCTION DATE	DESCRIPTION	LOT NUMBER	EXPIRATION DATE
1-Jun-22	PINEAPPLE COCONUT WATER 12 FL OZ	060123PC	06/01/23
FORMULA NUMBER		BAR CODE	
PINEAPPLE COCONUT WATER		8 50003 74855 9	

ANALYTICAL RESULTS

MICROBIOLOGICAL ANALYSIS						
TEST DESCRIPTION	RESULTS		LEMON PERFECT SPECIFICATIONS		METHOD OF REFERENCE	TEST DATE
AEROBIC COUNT	<1	cfu / mL	<10	cfu / mL	FDA - BAM, 7TH ED	2-Jun-22
YEAST & MOLD COUNT	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM RYM	2-Jun-22
COLIFORM	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM	2-Jun-22
E.COLI	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM	2-Jun-22

PHYSICAL / CHEMICAL ANALYSIS				
TEST DESCRIPTION	RESULTS	LEMON PERFECT SPECIFICATIONS	METHOD OF REFERENCE	TEST DATE
pH	2.9	2.8-3.2	AOAC 981.12 / CERAMIC PROBE	1-Jun-22
BRIX	2.5	2.3-2.7	AOAC 380.00 / REFRACTIVE INDEX	1-Jun-22
TITRATABLE ACIDITY	N/A	N/A	AOAC 942.15 / CERAMIC PROBE	N/A
QUARTERLY GLUTEN	NEGATIVE	NEGATIVE	3M GLUTEN PROTEIN RAPID KIT	9-May-22

COMPLETED BY:

DATE: 11 Jun 2022

VERIFIED BY:

DATE: 11 Jun 2022



GLANBIA NUTRITIONALS
 QUALITY CONTROL LABORATORY
 484 ALCOA CIRCLE
 CORONA, CALIFORNIA 92878

PHONE: (951) 736-9230
 FAX: (951) 736-9234

CERTIFICATE OF ANALYSIS

COA NUMBER:	LP-050423-KS
COA DATE:	11-May-22
PRODUCT STATUS:	RELEASED
PAGE:	1 OF 1

CERTIFICATE OF ANALYSIS

PRODUCTION DATE	DESCRIPTION	LOT NUMBER	EXPIRATION DATE
4-May-22	KIWI STARFRUIT WATER 12 FL OZ	050423KS	05/04/23
FORMULA NUMBER		BAR CODE	
KIWI STARFRUIT WATER 042021(002)		8 50003 74859 7	

ANALYTICAL RESULTS

MICROBIOLOGICAL ANALYSIS						
TEST DESCRIPTION	RESULTS		LEMON PERFECT SPECIFICATIONS		METHOD OF REFERENCE	TEST DATE
AEROBIC COUNT	<1	cfu / mL	<10	cfu / mL	FDA - BAM, 7TH ED	5-May-22
YEAST & MOLD COUNT	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM RYM	5-May-22
COLIFORM	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM	5-May-22
E.COLI	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM	5-May-22

PHYSICAL / CHEMICAL ANALYSIS				
TEST DESCRIPTION	RESULTS	LEMON PERFECT SPECIFICATIONS	METHOD OF REFERENCE	TEST DATE
pH	2.7*	2.8-3.2	AOAC 981.12 / CERAMIC PROBE	4-May-22
BRIX	2.7	2.6-3.0	AOAC 380.00 / REFRACTIVE INDEX	4-May-22
TITRATABLE ACIDITY	N/A	N/A	AOAC 942.15 / CERAMIC PROBE	N/A
GLUTEN	NEGATIVE	NEGATIVE	3M GLUTEN PROTEIN RAPID KIT	18-Apr-22

*APPROVED BY QA LEAD

COMPLETED BY:

DATE: 11 May 2022

VERIFIED BY:

DATE: 11 May 2022

**GLANBIA NUTRITIONALS**

QUALITY CONTROL LABORATORY
484 ALCOA CIRCLE
CORONA, CALIFORNIA 92878

PHONE: (951) 736-9230

FAX: (951) 736-9234

CERTIFICATE OF ANALYSIS

COA NUMBER:	LP-051723-BA
COA DATE:	25-May-22
PRODUCT STATUS:	RELEASED
PAGE:	1 OF 1

CERTIFICATE OF ANALYSIS

PRODUCTION DATE	DESCRIPTION	LOT NUMBER	EXPIRATION DATE
17-May-22	BLUEBERRY ACAI LEMON WATER 12 FL OZ	051723BA	05/17/23
FORMULA NUMBER		BAR CODE	
BLUEBERRY ACAI LEMON WATER BA 071219		8 50003 74800 9	

ANALYTICAL RESULTS

MICROBIOLOGICAL ANALYSIS						
TEST DESCRIPTION	RESULTS		LEMON PERFECT SPECIFICATIONS		METHOD OF REFERENCE	TEST DATE
AEROBIC COUNT	<1	cfu / mL	<10	cfu / mL	FDA - BAM, 7TH ED	18-May-22
YEAST & MOLD COUNT	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM RYM	18-May-22
COLIFORM	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM	18-May-22
E.COLI	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM	18-May-22

PHYSICAL / CHEMICAL ANALYSIS				
TEST DESCRIPTION	RESULTS	LEMON PERFECT SPECIFICATIONS	METHOD OF REFERENCE	TEST DATE
pH	2.79	2.64-3.04	AOAC 981.12 / CERAMIC PROBE	17-May-22
BRIX	2.7	2.3-2.7	AOAC 380.00 / REFRACTIVE INDEX	17-May-22
TITRATABLE ACIDITY	N/A	N/A	AOAC 942.15 / CERAMIC PROBE	N/A
QUARTERLY GLUTEN	NEGATIVE	NEGATIVE	3M GLUTEN PROTEIN RAPID KIT	5-Apr-22

COMPLETED BY:

DATE:

25 May 2022

VERIFIED BY:

DATE

25 May 2022



GLANBIA NUTRITIONALS
 QUALITY CONTROL LABORATORY
 484 ALCOA CIRCLE
 CORONA, CALIFORNIA 92878

PHONE: (951) 736-9230
 FAX: (951) 736-9234

CERTIFICATE OF ANALYSIS

COA NUMBER:	LP-051823-DM
COA DATE:	25-May-22
PRODUCT STATUS:	RELEASED
PAGE:	1 OF 1

CERTIFICATE OF ANALYSIS

PRODUCTION DATE	DESCRIPTION	LOT NUMBER	EXPIRATION DATE
18-May-22	DRAGONFRUIT MANGO LEMON WATER 12 FL OZ	051823DM	05/18/23
FORMULA NUMBER		BAR CODE	
DRAGONFRUIT MANGO LEMON WATER DA 071519		8 50003 74803 0	

ANALYTICAL RESULTS

MICROBIOLOGICAL ANALYSIS						
TEST DESCRIPTION	RESULTS		LEMON PERFECT SPECIFICATIONS		METHOD OF REFERENCE	TEST DATE
AEROBIC COUNT	<1	cfu / mL	<10	cfu / mL	FDA - BAM, 7TH ED	19-May-22
YEAST & MOLD COUNT	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM RYM	19-May-22
COLIFORM	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM	19-May-22
E.COLI	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM	19-May-22

PHYSICAL / CHEMICAL ANALYSIS				
TEST DESCRIPTION	RESULTS	LEMON PERFECT SPECIFICATIONS	METHOD OF REFERENCE	TEST DATE
pH	2.75	2.64-3.04	AOAC 981.12 / CERAMIC PROBE	18-May-22
BRIX	2.6	2.3-2.7	AOAC 380.00 / REFRACTIVE INDEX	18-May-22
TITRATABLE ACIDITY	N/A	N/A	AOAC 942.15 / CERAMIC PROBE	N/A
GLUTEN	NEGATIVE	NEGATIVE	3M GLUTEN PROTEIN RAPID KIT	5-Apr-22

COMPLETED BY:

DATE: 25 May 2022

VERIFIED BY:

DATE: 25 May 2022

**GLANBIA NUTRITIONALS**

QUALITY CONTROL LABORATORY
484 ALCOA CIRCLE
CORONA, CALIFORNIA 92878

PHONE: (951) 736-9230

FAX: (951) 736-9234

CERTIFICATE OF ANALYSIS

COA NUMBER:	LP-052123-SP
COA DATE:	26-May-22
PRODUCT STATUS:	RELEASED
PAGE:	1 OF 1

CERTIFICATE OF ANALYSIS

PRODUCTION DATE	DESCRIPTION	LOT NUMBER	EXPIRATION DATE
21-May-22	STRAWBERRY PASSIONFRUIT WATER	052123SP	05/21/23
FORMULA NUMBER		BAR CODE	
STRAWBERRY PASSIONFRUIT WATER		8 50003 74854 2	

ANALYTICAL RESULTS

MICROBIOLOGICAL ANALYSIS						
TEST DESCRIPTION	RESULTS		LEMON PERFECT SPECIFICATIONS		METHOD OF REFERENCE	TEST DATE
AEROBIC COUNT	<1	cfu / mL	<10	cfu / mL	FDA - BAM, 7TH ED	22-May-22
YEAST & MOLD COUNT	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM RYM	22-May-22
COLIFORM	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM	22-May-22
E.COLI	<1	cfu / mL	<1	cfu / mL	3M PETRIFILM	22-May-22

PHYSICAL / CHEMICAL ANALYSIS				
TEST DESCRIPTION	RESULTS	LEMON PERFECT SPECIFICATIONS	METHOD OF REFERENCE	TEST DATE
pH	2.8	2.5-2.9	AOAC 981.12 / CERAMIC PROBE	21-May-22
BRIX	2.5	2.2-2.6	AOAC 380.00 / REFRACTIVE INDEX	21-May-22
TITRATABLE ACIDITY	N/A	N/A	AOAC 942.15 / CERAMIC PROBE	N/A
QUARTERLY GLUTEN	NEGATIVE	NEGATIVE	3M GLUTEN PROTEIN RAPID KIT	25-May-22

COMPLETED BY:

DATE:

26 May 2022

VERIFIED BY:

DATE:

26 May 2022