

Nestlé USA

940 S Whelen Ave
Medford, WI 54451
TEL (715) 748-5550
FAX (715) 748-7295



Pizza Division

September 23, 2022

CERTIFICATE OF ANALYSIS

Product	Description	Batch Code
12418188	DiGiorno CLTC Peprn 12in 14x22.1oz N1US	2228525831

Analysis	Specification	Evaluation Date
Sensory GI 31.107	Pass	8/17/2022
EB Medford LI 00.758	<10/g	8/17/2022
EC Medford LI 00.738	<10/g	8/17/2022

Kelly Kozey
Micro Technician
Medford QA

Nestlé USA

940 S Whelen Ave
Medford, WI 54451
TEL (715) 748-5550
FAX (715) 748-7295



Pizza Division

September 23, 2022

CERTIFICATE OF ANALYSIS

Product	Description	Batch Code
12418189	DiGiorno CLTC Sprm 12in 14x24.8oz N1US	2230525831

Analysis	Specification	Evaluation Date
Sensory GI 31.107	Pass	8/19/2022
EB Medford LI 00.758	<10/g	8/19/2022
EC Medford LI 00.738	<10/g	8/19/2022

Kelly Kozey
Micro Technician
Medford QA

Nestlé USA
401 W. North Ave
Little Chute, WI 54140



9.23.2022

CERTIFICATE OF ANALYSIS

Product	Description	Batch Code
12418246	DDIGIORNO TC PIZZERIA! Mrgta 14x18oz N1US	2207525951

Analysis	Specification	Result/Evaluation Date
Enterobacteriaceae	<1,000	<10 / 7.26.2022
E.coli	<10	<10 / 7.26.2022

QA Supervision
Little Chute, WI

Nestlé USA
401 W. North Ave
Little Chute, WI 54140



9.25.2022

CERTIFICATE OF ANALYSIS

Product	Description	Batch Code
12460984	DIGIORNO Hand Toss Cheese 12x18.2ozN3US	2234525951

Analysis	Specification	Result/Evaluation Date
Enterobacteriaceae	<1,000	<10 / 8.23.2022
E.coli	<10	<10 / 8.23.2022

QA Supervision
Little Chute, WI

Nestlé USA

1812 N MOORE STREET
ARLINGTON, VA 22209
TEL (703) 682-4600

Nestleusa.com



Certificate of Conformity

SKU# Batch code	Product Description	Test	Result
12408042 2140510711	DIGIORNO CHSC Sprm 12in 12x26.4ozN1US	EB	< 10 Pass
12418142 2244510721	DIGIORNO Crsp Pan Peprn 12in 8x26oz N1US	EB	< 10 Pass
12479174 2232510721	DIGIORNO TDCR 4Chse 6.5in 10x9.2ozN2US	EB	< 10 Pass
12482175 2245510731	DIGIORNO CHSC 4Chse 6in 10x8.5ozUS	EB	< 10 Pass
12408043 2227510711	DIGIORNO CHSC Pep 12in 12x22.2ozN1US	EB	< 10 Pass
12408052 2224510711	DIGIORNO CHSC 3Meat 12in 12x24.5ozN1US	EB	< 10 Pass
12408045 2211510711	DIGIORNO CHSC 5Chse 12in 12x22.2ozN1US	EB	< 10 Pass

Nestlé USA

1812 N MOORE STREET
ARLINGTON, VA 22209
TEL (703) 682-4600

Nestleusa.com



Certificate of Conformity

SKU# Batch code	Product Description	Test	Result
12408042 2140510711	DIGIORNO CHSC Sprm 12in 12x26.4ozN1US	EB	< 10 Pass
12418142 2244510721	DIGIORNO Crsp Pan Peprn 12in 8x26oz N1US	EB	< 10 Pass
12479174 2232510721	DIGIORNO TDCR 4Chse 6.5in 10x9.2ozN2US	EB	< 10 Pass
12482175 2245510731	DIGIORNO CHSC 4Chse 6in 10x8.5ozUS	EB	< 10 Pass
12408043 2227510711	DIGIORNO CHSC Pep 12in 12x22.2ozN1US	EB	< 10 Pass
12408052 2224510711	DIGIORNO CHSC 3Meat 12in 12x24.5ozN1US	EB	< 10 Pass
12408045 2211510711	DIGIORNO CHSC 5Chse 12in 12x22.2ozN1US	EB	< 10 Pass

Nestlé USA
401 W. North Ave
Little Chute, WI 54140



9.25.2022

CERTIFICATE OF ANALYSIS

Product	Description	Batch Code
12377661	DIGRNO CrsntCrust 4Chse 12x25.3ozUS	2227525951

Analysis	Specification	Result/Evaluation Date
Enterobacteriaceae	<1,000	210 / 8.18.2022
E.coli	<10	<10 / 8.18.2022

QA Supervision
Little Chute, WI

Nestlé USA

1812 N MOORE STREET
ARLINGTON, VA 22209
TEL (703) 682-4600

Nestleusa.com



Certificate of Conformity

SKU# Batch code	Product Description	Test	Result
12408042 2140510711	DIGIORNO CHSC Sprm 12in 12x26.4ozN1US	EB	< 10 Pass
12418142 2244510721	DIGIORNO Crsp Pan Peprn 12in 8x26oz N1US	EB	< 10 Pass
12479174 2232510721	DIGIORNO TDCR 4Chse 6.5in 10x9.2ozN2US	EB	< 10 Pass
12482175 2245510731	DIGIORNO CHSC 4Chse 6in 10x8.5ozUS	EB	< 10 Pass
12408043 2227510711	DIGIORNO CHSC Pep 12in 12x22.2ozN1US	EB	< 10 Pass
12408052 2224510711	DIGIORNO CHSC 3Meat 12in 12x24.5ozN1US	EB	< 10 Pass
12408045 2211510711	DIGIORNO CHSC 5Chse 12in 12x22.2ozN1US	EB	< 10 Pass

Nestlé USA

1812 N MOORE STREET
ARLINGTON, VA 22209
TEL (703) 682-4600

Nestleusa.com



Certificate of Conformity

SKU# Batch code	Product Description	Test	Result
12408042 2140510711	DIGIORNO CHSC Sprm 12in 12x26.4ozN1US	EB	< 10 Pass
12418142 2244510721	DIGIORNO Crsp Pan Peprn 12in 8x26oz N1US	EB	< 10 Pass
12479174 2232510721	DIGIORNO TDCR 4Chse 6.5in 10x9.2ozN2US	EB	< 10 Pass
12482175 2245510731	DIGIORNO CHSC 4Chse 6in 10x8.5ozUS	EB	< 10 Pass
12408043 2227510711	DIGIORNO CHSC Pep 12in 12x22.2ozN1US	EB	< 10 Pass
12408052 2224510711	DIGIORNO CHSC 3Meat 12in 12x24.5ozN1US	EB	< 10 Pass
12408045 2211510711	DIGIORNO CHSC 5Chse 12in 12x22.2ozN1US	EB	< 10 Pass

Nestlé USA

1812 N MOORE STREET
ARLINGTON, VA 22209
TEL (703) 682-4600

Nestleusa.com



Certificate of Conformity

SKU# Batch code	Product Description	Test	Result
12408042 2140510711	DIGIORNO CHSC Sprm 12in 12x26.4ozN1US	EB	< 10 Pass
12418142 2244510721	DIGIORNO Crsp Pan Peprn 12in 8x26oz N1US	EB	< 10 Pass
12479174 2232510721	DIGIORNO TDCR 4Chse 6.5in 10x9.2ozN2US	EB	< 10 Pass
12482175 2245510731	DIGIORNO CHSC 4Chse 6in 10x8.5ozUS	EB	< 10 Pass
12408043 2227510711	DIGIORNO CHSC Pep 12in 12x22.2ozN1US	EB	< 10 Pass
12408052 2224510711	DIGIORNO CHSC 3Meat 12in 12x24.5ozN1US	EB	< 10 Pass
12408045 2211510711	DIGIORNO CHSC 5Chse 12in 12x22.2ozN1US	EB	< 10 Pass

Nestlé USA

1812 N MOORE STREET
ARLINGTON, VA 22209
TEL (703) 682-4600

Nestleusa.com



Certificate of Conformity

SKU# Batch code	Product Description	Test	Result
12408042 2140510711	DIGIORNO CHSC Sprm 12in 12x26.4ozN1US	EB	< 10 Pass
12418142 2244510721	DIGIORNO Crsp Pan Peprn 12in 8x26oz N1US	EB	< 10 Pass
12479174 2232510721	DIGIORNO TDCR 4Chse 6.5in 10x9.2ozN2US	EB	< 10 Pass
12482175 2245510731	DIGIORNO CHSC 4Chse 6in 10x8.5ozUS	EB	< 10 Pass
12408043 2227510711	DIGIORNO CHSC Pep 12in 12x22.2ozN1US	EB	< 10 Pass
12408052 2224510711	DIGIORNO CHSC 3Meat 12in 12x24.5ozN1US	EB	< 10 Pass
12408045 2211510711	DIGIORNO CHSC 5Chse 12in 12x22.2ozN1US	EB	< 10 Pass

Nestlé USA

1812 N MOORE STREET
ARLINGTON, VA 22209
TEL (703) 682-4600

Nestleusa.com



Certificate of Conformity

SKU# Batch code	Product Description	Test	Result
12408042 2140510711	DIGIORNO CHSC Sprm 12in 12x26.4ozN1US	EB	< 10 Pass
12418142 2244510721	DIGIORNO Crsp Pan Peprn 12in 8x26oz N1US	EB	< 10 Pass
12479174 2232510721	DIGIORNO TDCR 4Chse 6.5in 10x9.2ozN2US	EB	< 10 Pass
12482175 2245510731	DIGIORNO CHSC 4Chse 6in 10x8.5ozUS	EB	< 10 Pass
12408043 2227510711	DIGIORNO CHSC Pep 12in 12x22.2ozN1US	EB	< 10 Pass
12408052 2224510711	DIGIORNO CHSC 3Meat 12in 12x24.5ozN1US	EB	< 10 Pass
12408045 2211510711	DIGIORNO CHSC 5Chse 12in 12x22.2ozN1US	EB	< 10 Pass

Nestlé USA
401 W. North Ave
Little Chute, WI 54140



9.25.2022

CERTIFICATE OF ANALYSIS

Product	Description	Batch Code
12418148	DIGIORNO Hawaiian 12x28.5 oz N1 US	2175525911

Analysis	Specification	Result/Evaluation Date
Enterobacteriaceae	<10,000	120/ 6.29.2022
E.coli	<10	<10 / 6.29.2022

QA Supervision
Little Chute, WI

Nestlé USA
401 W. North Ave
Little Chute, WI 54140



9.23.2022

CERTIFICATE OF ANALYSIS

Product	Description	Batch Code
12418154	IGIORNO RSNC 3Meat 12in 12x29.8oz N1US	2224525931

Analysis	Specification	Result/Evaluation Date
Enterobacteriaceae	<1,000	220 / 8.12.2022
E.coli	<10	<10 / 8.12.2022

QA Supervision
Little Chute, WI

Nestlé USA
401 W. North Ave
Little Chute, WI 54140



9.23.2022

CERTIFICATE OF ANALYSIS

Product	Description	Batch Code
12418155	DIGIORNO RSNC 4Chse 12in 12x28.2ozN1 US	2214525951

Analysis	Specification	Result/Evaluation Date
Enterobacteriaceae	<1,000	100 / 8.2.2022
E.coli	<10	<10 / 8.2.2022

QA Supervision
Little Chute, WI

Nestlé USA
401 W. North Ave
Little Chute, WI 54140



9.23.2022

CERTIFICATE OF ANALYSIS

Product	Description	Batch Code
12418157	DIGIORNO RSNC Pepperoni 12x27.5oz N1US	2196525931

Analysis	Specification	Result/Evaluation Date
Enterobacteriaceae	<10,000	20 / 7.15.2022
E.coli	<10	<10 / 7.15.2022

QA Supervision
Little Chute, WI

Nestlé USA
401 W. North Ave
Little Chute, WI 54140



9.23.2022

CERTIFICATE OF ANALYSIS

Product	Description	Batch Code
12418159	DIGIORNO DIGIORNO RSNC Sprm 12in 12x31.4oz N1US	2245525931

Analysis	Specification	Result/Evaluation Date
Enterobacteriaceae	<1,000	100 / 9.2.2022
E.coli	<10	<10 / 9.2.2022

QA Supervision
Little Chute, WI

Nestlé USA
401 W. North Ave
Little Chute, WI 54140



9.25.2022

CERTIFICATE OF ANALYSIS

Product	Description	Batch Code
12418170	DIGIORNO RSNC Ssg&Pprn12in 12x30.3ozN1US	2202525931

Analysis	Specification	Result/Evaluation Date
Enterobacteriaceae	<10,000	40 / 7.21.2022
E.coli	<10	<10 / 7.21.2022

QA Supervision
Little Chute, WI

Nestlé USA

940 S Whelen Ave
Medford, WI 54451
TEL (715) 748-5550
FAX (715) 748-7295



Pizza Division

September 23, 2022

CERTIFICATE OF ANALYSIS

Product	Description	Batch Code
12418186	DiGiorno CLTC 4Chse 12in 14x23oz N1US	2227525831

Analysis	Specification	Evaluation Date
Sensory GI 31.107	Pass	8/16/2022
EB Medford LI 00.758	<10/g	8/16/2022
EC Medford LI 00.738	<10/g	8/16/2022

Kelly Kozey
Micro Technician
Medford QA

Nestlé USA

940 S Whelen Ave
Medford, WI 54451
TEL (715) 748-5550
FAX (715) 748-7295



Pizza Division

September 23, 2022

CERTIFICATE OF ANALYSIS

Product	Description	Batch Code
12418187	DiGiorno CLTC 4Meat 12in 14x23.4oz N1US	2243525831

Analysis	Specification	Evaluation Date
Sensory GI 31.107	Pass	9/01/2022
EB Medford LI 00.758	<10/g	9/01/2022
EC Medford LI 00.738	<10/g	9/01/2022

Kelly Kozey
Micro Technician
Medford QA